AMENDMENTS TO THE CLAIMS

A2

1. (Currently Amended) A method of maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates, said method including the steps of:

storing said related meta-data metadata and a reference to said object in a table of a database, said object being stored externally to said database in an object store, said object capable of being edited independently of said related metadata, said reference used to obtain a handle for directly accessing or manipulating said external object;

obtaining a version number embedded <u>in an access token</u> in said handle; and comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object.

(Original) The method according to claim 1, further including the steps of:
if said encoded version number and said version number of said latest
committed version match, comparing a last modification time stamp of said object
with a last modification timestamp for said latest committed version of said object;
and

if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object.

RD/

3. (Original) The method according to claim 2, further including the step of, if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object.

- 4. (Currently Amended) The method according to claim 1, further including the steps of updating said object in-place under either DBMS control or file system control and linking said meta-data metadata and said object under DBMS control.
- 5. (Currently Amended) The method according to claim 14, wherein said loose-transaction update model said object is capable of being edited independently of said related metadata and uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database.
- 6. (Original) The method according to claim 1, further including the step of intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object.
- 7. (Original) The method according to claim 6, wherein said intercepting step is carried out using a filter layer of said object store for said stored object.
- 8. (Original) The method according to claim 1, wherein said object store is a local file system.

9. (Original) The method according to claim 2, wherein said object store is a distributed file system, said object being accessed from a remote file system client.

- 10. (Currently Amended) The method according to claim 9, wherein a file access occurs in the presence of authoritative caching and said comparing steps are performed at saidfile said file system client.
- 11. (Original) The method according to claim 10, further including the steps of caching the last known version number and the corresponding last modification timestamp at said file system client after an access and refreshing said last known version number and said corresponding last modification timestamp with latest values from a file server the next time one or both of said comparisons fail with the previously cached values, in which case said comparing steps are retried with refreshed values.
- 12. (Cancelled) The method according to claim 1, wherein said object includes a file.
- 13. (Cancelled) The method according to claim 1, wherein said version number associated with said object is embedded in an access token.
- 14. (Original) The method according to claim 1, wherein said version number is temporally unique.

15. (Currently Amended) The method according to claim 1311, wherein the last-modification-timestamp attribute associated with said object is maintained by said object store.

- 16. (Original) The method according to claim 1, wherein clock synchronization between a database server and a filesystem server is not required.
- 17. (Original) The method according to claim 1, wherein said database is rolled back to an earlier state.
- 18. (Original) The method according to claim 1, wherein said database is a replicated version.
- 19. (Currently amended) The method according to claim 1, further including the steps of:

updating said object while said object is currently linked; and accessing said meta-data metadata for said object while said object is being updated.

20. (Currently Amended) An apparatus for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates, said apparatus including:

means for storing said related meta-data metadata and a reference to said object in a table of a database, said object being stored externally to said database in an object store, and said object capable of being edited independent of said metadata

in a loose transaction model, said reference used to obtain a handle for directly accessing or manipulating said external object:

A2

means for obtaining a version number embedded <u>in an access token</u> in said handle; and

means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object.

21. (Original) The apparatus according to claim 20, further including:

means for, if said encoded version number and said version number of said latest committed version match, comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and

means for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object.

- 22. (Original) The apparatus according to claim 21, further including means for, if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object.
- 23. (Currently Amended) The apparatus according to claim 20, further including means for updating said object in-place under either DBMS control or file system control and linking meta-data metadata and said object under DBMS control.

A2

- 24. (Currently Amended) The apparatus according to claim 2023, wherein said loose-transaction update model uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database.
- 25. (Original) The apparatus according to claim 20, further including means for intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object.
- 26. (Original) The apparatus according to claim 25, wherein said intercepting means uses a filter layer of said object store for said stored object.
- 27. (Original) The apparatus according to claim 20, wherein said object store is a local file system.
- 28. (Original) The apparatus according to claim 21, wherein said object store is a distributed file system, said object being accessed from a remote file system client.
- 29. (Original) The apparatus according to claim 28, wherein a file access occurs in the presence of authoritative caching and both said means for comparing are implemented at said file system client.
- 30. (Original) The apparatus according to claim 29, further including means for caching the last known version number and the corresponding last modification timestamp at said file system client after an access and means for refreshing said last known version number and said corresponding last modification timestamp with

AF

latest values from a file server the next time with previously cached values, in which case both comparing means retry said comparisons with refreshed values.

31. (Cancelled) The apparatus according to claim 20, wherein said object includes

a file.

32. (Cancelled) The apparatus according to claim 20, wherein said version number

associated with said object is embedded in an access token.

33. (Original) The apparatus according to claim 20, wherein said version number is

temporally unique.

34. (Original) The apparatus according to claim 33, wherein a last-modification-

timestamp attribute is associated with said object and maintained by said object

store.

35. (Original) The apparatus according to claim 20, wherein clock synchronization

between a database server and a filesystem server is not required.

36. (Original) The apparatus according to claim 20, wherein said database is rolled

back to an earlier state.

37. (Original) The apparatus according to claim 20, wherein said database is a

replicated version.

38. (Currently Amended) The apparatus according to claim 2023, further including:

means for updating said object while said object is currently linked; and means for accessing said meta-data metadata for said object while said object is being updated.

39. (Currently Amended) A computer program for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates, said computer program including:

computer code for storing said related meta-data metadata and a reference to said object in a table of a database, said object being stored externally to said database in an object store, and said object capable of being edited independently of said related metadata in a loose transaction model, said reference used to obtain a handle for directly accessing or manipulating said external object;

computer code for obtaining a version number embedded <u>in an access token</u> in said handle; and

computer code for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle refers to a current version of said externally stored object.

40. (Original) The computer program according to claim 39, further including: computer code for, if said encoded version number and said version number of said latest committed version match, comparing a last modification time stamp of said object with a last modification timestamp for said latest committed version of said object; and rD

computer code for, if said last modification time stamp of said object matches with said last modification timestamp for said latest committed version of said object, permitting access to said externally stored object.

- 41. (Original) The computer program according to claim 40, further including computer code for, if said last modification time stamp of said object does not match with said last modification timestamp for said latest committed version of said object, generating an error to indicate that said handle refers to stale content in said object.
- 42. (Currently Amended) The computer program according to claim 39, further including computer code for updating said object in-place under either DBMS control or file system control and linking said meta-data metadata and said object under DBMS control.
- 43. (Currently Amended) The computer program according to claim 3942, wherein said loose-transaction update model uses SQL Mediated Object Manipulation (SMOM) for an object that resides external to said database.
- 44. (Original) The computer program according to claim 39, further including computer code for intercepting a native access to said externally stored object or a file system and validating the caller's access rights based on a combination of said version number and a last modification timestamp for a version of said object.

Patent

AZ

45. (Currently Amended) The computer program according to claim 4344, wherein

said intercepting computer code uses a filter layer of said object store for said stored

object.

46. (Original) The computer program according to claim 39, wherein said object

store is a local file system.

47. (Original) The computer program according to claim 39, wherein said object

store is a distributed file system, said object being accessed from a remote file system

client.

48. (Original) The computer program according to claim 46, wherein a file access

occurs in the presence of authoritative caching and both said computer codes for

comparing are carried out at said file system client.

49. (Cancelled) The computer program according to claim 39, wherein said object

inc[ludes a file.

50. (Cancelled) The computer program according to claim 39, wherein said version

number associated with said object is embedded in an access token.

51. (Original) The computer program according to claim 39, wherein said version

number is temporally unique.

A2

- 52. (Original) The computer program according to claim 49, wherein a last-modification-timestamp attribute is associated with said object and maintained by said object store.
- 53. (Original) The computer program according to claim 39, wherein clock synchronization between a database server and a filesystem server is not required.
- 54. (Original) The computer program according to claim 39, wherein said database is rolled back to an earlier state.
- 55. (Original) The computer program according to claim 39, wherein said database is a replicated version.
- 56. (Currently Amended) The method according to claim 3942, further including: means for updating said object while said object is currently linked; and means for accessing said meta-data metadata for said object while said object is being updated.
- 57. (Currently Amended) A computer program product having a computer readable medium having a computer program recorded therein for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates, said computer program product including:

computer program code means for storing said related meta-data metadata and a reference to said object in a table of a database, said object being stored externally to said database in an object store, said object capable of being edited independent of

said related metadata in a loose transaction model, said reference used to obtain a handle filename of said object, said filename having an encrypted access token having a hash value containing a version number for directly accessing or manipulating said external object;

computer program code means for obtaining a version number embedded in said handle hash value; and

computer program code means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle embedded version number refers to a current version of said externally stored object.

58. (Currently Amended) A system for maintaining consistency of content of an object and metadata related to said object in a loose transaction model for object and meta-data updates, said system including:

a database storing said related meta-data metadata and a reference to said object in a table of a database, said reference used to obtain a handle an encrypted access token having a hash value with an embedded version number for directly accessing or manipulating said object;

a native object store for storing said object externally to said database, said object capable of being edited independently of said related metadata in a loose transaction model;

a database mediator for obtaining said handle using said reference encrypted access token to directly access or manipulate said external object;

means for obtaining a version number embedded in said <u>handle hash value of</u> said encrypted access token; and

means for comparing said embedded version number with a version number of a latest committed version of said externally stored object to determine if said handle encrypted access token refers to a current version of said externally stored object.